



THE TARGET MAN
SPARTAN ARMOR SYSTEMS

BODY ARMOR CATALOG



**MADE
IN THE
U.S.A.**

www.thetargetman.com

Tel 520.789.0875 | PO Box 1221 | Vail AZ 85641

DEFEND WHAT'S YOURS

PROTECTOR SERIES

Model 3A00

SPECIAL PISTOL THREAT LEVEL IIIA STAND ALONE

- Advanced UHMWPE Design
- Neutrally Buoyant ■ Multi Shot Rated
- 1000 Denier CORDURA® Fabric Finish



NIJ Standard—0101.06

Tested and verified to meet or exceed ballistic resistance as specified under NIJ Standard—0101.06 plus Special Hand Gun Threats validated

NIJ Standard—0115.00

Tested and verified to meet or exceed stab resistance as specified under NIJ Standard—0115.00



MADE IN THE U.S.A.

SAPI Cut Multi Curve Front/Back Plates

	S	M	L	XL
Width x Length	8.75" x 11.75"	9.5" x 12.5"	10.25" x 13.25"	11.0" x 14.0"
Weight / Thickness	0.84 lbs / 0.3"	0.97 lbs / 0.3"	1.11 lbs / 0.3"	1.26 lbs / 0.3"
Model Number	3A00 S	3A00 M	3A00 L	3A00 X

Swimmer/Shooter Cut Multi Curve Front/Back Plates

	S	M	L	XL
Width x Length	9.5" x 11.1"	10.0" x 11.6"	10.0" x 12.1"	10.5" x 12.6"
Weight / Thickness	0.81 lbs / 0.3"	0.88 lbs / 0.3"	0.92 lbs / 0.3"	1.00 lbs / 0.3"
Model Number	3A00 SWS	3A00 SWM	3A00 SWL	3A00 SWX

Gamma Cut Single Curve Front/Back Plates

	S	M	L
Width x Length	8.0" x 10.0"	9.5" x 11.5"	10.0" x 12.0"
Weight / Thickness	0.65 lbs / 0.3"	0.85 lbs / 0.3"	0.95 lbs / 0.3"
Model Number	3A00 GS	3A00 GM	3A00 GL

Single Curve Side Plates

	S	L
Width x Length	6.0" x 6.0"	6.0" x 8.0"
Weight / Thickness	0.35 lbs / 0.3"	0.45 lbs / 0.3"
Model Number	3A00 SPS	3A00 SPL

Threat Profile - Ballistic

Weapon Type	Ammunition	Striking Velocity ft/s ± 30	Striking Velocity m/s ± 9
Hand Gun - 9 mm Luger	124 gr 9 mm FMJ RN	1305	398
Hand Gun - .40 S&W	180 gr .40 S&W FMJ	1155	352
Hand Gun - .357 Mag	158 gr .357 Mag JSP	1430	436
Hand Gun - .357 SIG	125 gr .357 SIG TMJ	1470	448
Hand Gun - .44 Mag	240 gr .44 Mag JHP	1430	436

Threat Profile - Stab

Edge Blade	Energy	Level
S1	E1 / E2	2
P1	E1 / E2	2



Tested and verified to meet or exceed ballistic resistance as specified under NIJ Standard—0101.06 plus Special Rifle Threats validated

PROTECTOR SERIES

Model 3600

LEVEL III STAND ALONE

- Advanced UHMWPE Design
- Neutrally Buoyant ■ Multi Shot Rated
- 1000 Denier CORDURA® Fabric Finish



MADE IN THE U.S.A.



SAPI Cut Multi Curve Front/Back Plates

	S	M	L	XL
Width x Length	8.75" x 11.75"	9.5" x 12.5"	10.25" x 13.25"	11.0" x 14.0"
Weight / Thickness	2.6 lbs / 1.1"	3.0 lbs / 1.1"	3.5 lbs / 1.1"	4.0 lbs / 1.1"
Model Number	3600 S	3600 M	3600 L	3600 X

Swimmer/Shooter Cut Multi Curve Front/Back Plates

	S	M	L	XL
Width x Length	9.5" x 11.1"	10.0" x 11.6"	10.0" x 12.1"	10.5" x 12.6"
Weight / Thickness	2.5 lbs / 1.1"	2.8 lbs / 1.1"	2.9 lbs / 1.1"	3.2 lbs / 1.1"
Model Number	3600 SWS	3600 SWM	3600 SWL	3600 SWX



Gamma Cut Single Curve Front/Back Plates

	S	M	L
Width x Length	8.0" x 10.0"	9.5" x 11.5"	10.0" x 12.0"
Weight / Thickness	2.0 lbs / 1.1"	2.7 lbs / 1.1"	2.9 lbs / 1.1"
Model Number	3600 GS	3600 GM	3600 GL

Single Curve Side Plates

	S	L
Width x Length	6.0" x 6.0"	6.0" x 8.0"
Weight / Thickness	1.0 lbs / 1.1"	1.3 lbs / 1.1"
Model Number	3600 SPS	3600 SPL

Threat Profile

Weapon Type	Ammunition	Striking Velocity ft/s ± 30	Striking Velocity m/s ± 9
Rifle M-1	7.62 x 63 mm - JSP	2780	847
Rifle SVD, Dragunov	7.62 x 54R - L	2850	869
Rifle FN FAL	7.62 x 51 mm - Ball	2780	847
Rifle AK-47	7.62 x 39 mm - Ball	2380	725
Rifle M-16/AR-15	5.56 x 45 mm - M193	3250	990



Tested and verified to meet or exceed ballistic resistance as specified under NIJ Standard—0101.06 plus Special Rifle Threats validated

PROTECTOR SERIES

Model 3610

LEVEL III+ STAND ALONE

- Light AP Protection including 5.56 x 54 mm - M855
- Advanced Ceramic/Composite Design
- 1000 Denier CORDURA® Fabric Finish
- Multi Shot Rated



SAPI Cut Multi Curve Front/Back Plates

	S	M	L	XL
Width x Length	8.75" x 11.75"	9.5" x 12.5"	10.25" x 13.25"	11.0" x 14.0"
Weight / Thickness	4.1 lbs / 1.1"	4.7 lbs / 1.1"	5.4 lbs / 1.1"	6.2 lbs / 1.1"
Model Number	3610 S	3610 M	3610 L	3610 X



Swimmer/Shooter Cut Multi Curve Front/Back Plates

	S	M	L	XL
Width x Length	9.5" x 11.1"	10.0" x 11.6"	10.0" x 12.1"	10.5" x 12.6"
Weight / Thickness	3.9 lbs / 1.1"	4.3 lbs / 1.1"	4.5 lbs / 1.1"	4.9 lbs / 1.1"
Model Number	3610 SWS	3610 SWM	3610 SWL	3610 SWX



Gamma Cut Single Curve Front/Back Plates

	S	M	L
Width x Length	8.0" x 10.0"	9.5" x 11.5"	10.0" x 12.0"
Weight / Thickness	3.1 lbs / 1.1"	4.2 lbs / 1.1"	4.6 lbs / 1.1"
Model Number	3610 GS	3610 GM	3610 GL

Single Curve Side Plates

S	L
6.0" x 6.0"	6.0" x 8.0"
1.5 lbs / 1.1"	2.0 lbs / 1.1"
3610 SPS	3610 SPL

Threat Profile

Weapon Type	Ammunition	Striking Velocity ft/s ± 30	Striking Velocity m/s ± 9
Rifle M-1	7.62 x 63 mm - JSP	2780	847
Rifle SVD, Dragunov	7.62 x 54R - L/LPS	2850	869
Rifle FN FAL	7.62 x 51 mm - Ball	2780	847
Rifle AK-47, M, SKS	7.62 x 39 mm - Ball/Steel Core	2380	725
Rifle M-16/AR-15	5.56 x 45 mm - M193/M855/SS109	3250	990



Tested and verified to meet or exceed ballistic resistance as specified under NIJ Standard—0101.06 plus Special Rifle Threats validated

PROTECTOR SERIES

Model 3590

SPECIAL RIFLE THREAT LEVEL III++ IN CONJUNCTION

- Full AK-47 Protection including 7.62 x 39 mm - API BZ
- Advanced Ceramic / Composite Design
- 1000 Denier CORDURA® Fabric Finish
- Multi Shot Rated



SAPI Cut Multi Curve Front/Back Plates

	S	M	L	XL
Width x Length	8.75" x 11.75"	9.5" x 12.5"	10.25" x 13.25"	11.0" x 14.0"
Weight / Thickness	4.6 lbs / 0.8"	5.3 lbs / 0.8"	6.2 lbs / 0.8"	7.0 lbs / 0.8"
Model Number	3590 S	3590 M	3590 L	3590 X

Swimmer/Shooter Cut Multi Curve Front/Back Plates

	S	M	L	XL
Width x Length	9.5" x 11.1"	10.0" x 11.6"	10.0" x 12.1"	10.5" x 12.6"
Weight / Thickness	4.4 lbs / 0.8"	4.9 lbs / 0.8"	5.1 lbs / 0.8"	5.6 lbs / 0.8"
Model Number	3590 SWS	3590 SWM	3590 SWL	3590 SWX

Gamma Cut Single Curve Front/Back Plates

	S	M	L
Width x Length	8.0" x 10.0"	9.5" x 11.5"	10.0" x 12.0"
Weight / Thickness	3.5 lbs / 0.8"	4.8 lbs / 0.8"	5.2 lbs / 0.8"
Model Number	3590 GS	3590 GM	3590 GL

Single Curve Side Plates

S	L
6.0" x 6.0"	6.0" x 8.0"
1.7 lbs / 0.8"	2.3 lbs / 0.8"
3590 SPS	3590 SPL

Threat Profile * Denotes rounds tested In Conjunction with soft armor vest.

Weapon Type	Ammunition	Striking Velocity ft/s ± 30	Striking Velocity m/s ± 9
* Rifle SVD, Dragunov	7.62 x 54R - L/LPS	2850	869
* Rifle FN FAL	7.62 x 51 mm - Ball	2780	847
* Rifle AK-47, M, SKS	7.62 x 39 mm - Ball/Steel Core/API	2380	725
* Rifle M-16/AR-15	5.56 x 45 mm - M193/M855/SS109	3250	990



Tested and verified to meet or exceed ballistic resistance as specified under NIJ Standard—0101.06 plus Special Rifle Threats validated

PROTECTOR SERIES

Model 4690

LEVEL III / IV STAND ALONE

- Affordable AP Protection
- Advanced Ceramic/Composite Design
- 1000 Denier CORDURA® Fabric Finish
- Multi Shot Rated



MADE IN THE U.S.A.

SAPI Cut Multi Curve Front/Back Plates

	S	M	L	XL
Width x Length	8.75" x 11.75"	9.5" x 12.5"	10.25" x 13.25"	11.0" x 14.0"
Weight / Thickness	6.2 lbs / 0.9"	7.2 lbs / 0.9"	8.3 lbs / 0.9"	9.5 lbs / 0.9"
Model Number	4690 S	4690 M	4690 L	4690 X

Swimmer/Shooter Cut Multi Curve Front/Back Plates

	S	M	L	XL
Width x Length	9.5" x 11.1"	10.0" x 11.6"	10.0" x 12.1"	10.5" x 12.6"
Weight / Thickness	6.0 lbs / 0.9"	6.5 lbs / 0.9"	6.8 lbs / 0.9"	7.5 lbs / 0.9"
Model Number	4690 SWS	4690 SWM	4690 SWL	4690 SWX

Gamma Cut Single Curve Front/Back Plates

	S	M	L
Width x Length	8.0" x 10.0"	9.5" x 11.5"	10.0" x 12.0"
Weight / Thickness	4.7 lbs / 0.9"	6.5 lbs / 0.9"	7.1 lbs / 0.9"
Model Number	4690 GS	4690 GM	4690 GL

Single Curve Side Plates

	S	L
Width x Length	6.0" x 6.0"	6.0" x 8.0"
Weight / Thickness	2.3 lbs / 0.9"	3.1 lbs / 0.9"
Model Number	4690 SPS	4690 SPL

Threat Profile

Weapon Type	Ammunition	Striking Velocity ft/s ± 30	Striking Velocity m/s ± 9
Rifle M-1	7.62 x 63 mm - JSP/AP M2	2880	878
Rifle SVD, Dragunov	7.62 x 54R - L/LPS/B-32API	2850	869
Rifle FN FAL	7.62 x 51 mm - Ball	2780	847
Rifle AK-47, M, SKS	7.62 x 39 mm - Ball/Steel Core/API	2380	725
Rifle M-16/AR-15	5.56 x 45 mm - M193/M855/SS109	3250	990



Tested and verified to meet or exceed ballistic resistance as specified under NIJ Standard-0101.06 plus Special Rifle Threats validated

RESPONDER SERIES

Model 3400

LEVEL III STAND ALONE

- UHMWPE Design
- Neutrally Buoyant
- 1000 Denier CORDURA® Fabric Finish
- Multi Shot Rated



SAPI Cut Multi Curve Front/Back Plates

	S	M	L	XL
Width x Length	8.75" x 11.75"	9.5" x 12.5"	10.25" x 13.25"	11.0" x 14.0"
Weight / Thickness	2.9 lbs / 1.1"	3.3 lbs / 1.1"	3.8 lbs / 1.1"	4.3 lbs / 1.1"
Model Number	3400 S	3400 M	3400 L	3400 X

Swimmer/Shooter Cut Multi Curve Front/Back Plates

	S	M	L	XL
Width x Length	9.5" x 11.1"	10.0" x 11.6"	10.0" x 12.1"	10.5" x 12.6"
Weight / Thickness	2.7 lbs / 1.1"	3.0 lbs / 1.1"	3.1 lbs / 1.1"	3.4 lbs / 1.1"
Model Number	3400 SWS	3400 SWM	3400 SWL	3400 SWX

Gamma Cut Single Curve Front/Back Plates

	S	M	L
Width x Length	8.0" x 10.0"	9.5" x 11.5"	10.0" x 12.0"
Weight / Thickness	2.2 lbs / 1.1"	3.0 lbs / 1.1"	3.2 lbs / 1.1"
Model Number	3400 GS	3400 GM	3400 GL

Threat Profile

Weapon Type	Ammunition	Striking Velocity ft/s ± 30	Striking Velocity m/s ± 9
Rifle M-1	7.62 x 63 mm - JSP	2780	847
Rifle SVD, Dragunov	7.62 x 54R - L	2850	869
Rifle FN FAL	7.62 x 51 mm - Ball	2780	847
Rifle AK-47	7.62 x 39 mm - Ball	2380	725
Rifle M-16/AR-15	5.56 x 45 mm - M193	3250	990



Tested and verified to meet or exceed ballistic resistance as specified under NIJ Standard—0101.06 plus Special Rifle Threats validated

RESPONDER SERIES

Model 4400

LEVEL IV STAND ALONE

- Cost Efficient Ceramic/FRP Design
- 1000 Denier CORDURA® Fabric Finish



SAPI Cut Multi Curve Front/Back Plates

	S	M	L	XL
Width x Length	8.75" x 11.75"	9.5" x 12.5"	10.25" x 13.25"	11.0" x 14.0"
Weight / Thickness	7.2 lbs / 0.9"	8.3 lbs / 0.9"	9.6 lbs / 0.9"	10.9 lbs / 0.9"
Model Number	4400 S	4400 M	4400 L	4400 X

Swimmer/Shooter Cut Multi Curve Front/Back Plates

	S	M	L	XL
Width x Length	9.5" x 11.1"	10.0" x 11.6"	10.0" x 12.1"	10.5" x 12.6"
Weight / Thickness	6.9 lbs / 0.9"	7.5 lbs / 0.9"	7.9 lbs / 0.9"	8.6 lbs / 0.9"
Model Number	4400 SWS	4400 SWM	4400 SWL	4400 SWX

Gamma Cut Single Curve Front/Back Plates

	S	M	L
Width x Length	8.0" x 10.0"	9.5" x 11.5"	10.0" x 12.0"
Weight / Thickness	5.4 lbs / 0.9"	7.4 lbs / 0.9"	8.1 lbs / 0.9"
Model Number	4400 GS	4400 GM	4400 GL



Threat Profile

Weapon Type	Ammunition	Striking Velocity ft/s ± 30	Striking Velocity m/s ± 9
Rifle M-1	7.62 x 63 mm - JSP/AP M2	2880	878
Rifle SVD, Dragunov	7.62 x 54R - L/LPS/B-32API	2850	869
Rifle FN FAL	7.62 x 51 mm - Ball	2780	847
Rifle AK-47, M, SKS	7.62 x 39 mm - Ball/Steel Core/API	2380	725
Rifle M-16/AR-15	5.56 x 45 mm - M193/M855/SS109	3250	990



Tested and verified to meet or exceed ballistic resistance as specified under NIJ Standard—0101.06 plus Special Hand Gun Threats validated

RESPONDER SERIES

Model 3ATF

LEVEL IIIA STAND ALONE

- Economical Composite Design
- Multi Shot Rated
- 1000 Denier CORDURA® Fabric Finish



MADE IN THE U.S.A.

Flat Cut Front/Back Plates

Width x Length	10.0" x 12.0"
Weight / Thickness	1.2 lbs / 0.3"
Model Number	3ATF L

Threat Profile

Weapon Type	Ammunition	Striking Velocity ft/s + 50	Striking Velocity m/s + 15
Hand Gun - 9 mm Luger	124 gr 9 mm FMJ RN	1305	398
Hand Gun - .40 S&W	180 gr .40 S&W FMJ	1155	352
Hand Gun - .357 Mag	158 gr .357 Mag JSP	1430	436
Hand Gun - .357 SIG	125 gr .357 SIG TMJ	1470	448
Hand Gun - .44 Mag	240 gr .44 Mag JHP	1430	436



SPARTAN ARMOR

Model AR500

LEVEL III STAND ALONE

- Stab Resistant
- Slim Profile



MADE IN THE U.S.A.

SAPI Cut Formed Front/Back Plates

	S	M	L
Width x Length	8.00" x 10.00"	10.00" x 12.00"	11.00" x 14.00"
Weight / Thickness	6.6 lbs / 0.6"	8.7 lbs / 0.6"	9.6 lbs / 0.6"
Model Number	PN-SAS-RL-0124 S	PN-SAS-RL-0124 M	PN-SAS-RL-0124 L

SAPI Cut Flat Front/Back Plates

	S	M	L
Width x Length	8.00" x 10.00"	10.00" x 12.00"	11.00" x 14.00"
Weight / Thickness	6.6 lbs / 0.6"	8.7 lbs / 0.6"	9.6 lbs / 0.6"
Model Number	PN-SAS-RL-0125 S	PN-SAS-RL-0125 M	PN-SAS-RL-0125 L

Threat Profile

Weapon Type	Ammunition	Striking Velocity ft/s ± 30	Striking Velocity m/s ± 9
Rifle M-1	7.62 x 63 mm - JSP	2780	847
Rifle SVD, Dragunov	7.62 x 54R - L	2850	869
Rifle FN FAL	7.62 x 51 mm - Ball	2780	847
Rifle AK-47	7.62 x 39 mm - Ball	2380	725
Rifle M-16/AR-15	5.56 x 45 mm - M193	3250	990

